



Vascular and Cardiothoracic Surgery Solutions

Over 50 years of technical and clinical
experience in vascular graft technology

This document is intended to provide information to
an international audience.

GETINGE 



Vascular and Cardiothoracic Surgery Solutions

Table of Contents

Knitted vascular grafts

Intergard Knitted	6
Intergard Knitted Ultrathin	8
Intergard Knitted Trifurcated/Quadrifurcated	9

Woven vascular grafts

Hemashield Platinum Woven Double Velour	11
Hemashield Platinum Woven Double Velour Aortic Branch	12
Cardioroot Woven	13
Intergard Woven	14
Intergard Woven Aortic Arch and Hemabridge	15
Intergard Woven Thoracic Aortic Graft	16

Antimicrobial vascular grafts

Intergard Synergy Knitted	18
Intergard Silver Knitted / Intergard Silver Woven	20

ePTFE grafts

Flixene	23
Advanta VXT	25

Patches

Hemapatch Knitted	27
Hemacarotid Patch Knitted	28
Hemacarotid Patch Knitted Ultrathin	29
Hemapatch Silver Knitted Ultrathin	30
Hemashield Woven Double Velour Cardiovascular Fabric	31
Hemashield Platinum Finesse Ultrathin Knitted Cardiovascular Patch	32
Hemapatch Woven	33

Tunneling solutions

Vascular Tunneler	35
-------------------	----

Other products

Graft Sizers	37
--------------	----

Refer to Instructions For Use for current indications, warnings, contraindications, and precautions. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets.

Hemashield Woven Double Velour Cardiovascular Fabric



8
1

Hemashield Platinum Woven Double Velour



7
6
5
4
3

Cardioroot Woven



4

Intergard Woven



7
6
5
4
3

Intergard Knitted/ Hemagard Knitted




10
9
7
6
2

Intergard Knitted Ultrathin



10

Hemashield Platinum Finesse Ultrathin Knitted



8
1

Patches Knitted & Woven




8
1

Intergard Synergy Knitted Intergard Silver Knitted



10
9
7
6
2

Flixene




14
13
11

Advanta VXT



14
13
12
11
10
9

Tunneler




Knitted Vascular Grafts

Intergard Knitted


Knitted Vascular Grafts

Material*:

- Collagen-coated polyester graft
- Reverse lock-knit knitting technique
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Radially Supported grafts have a polypropylene supportive coil
- Water permeability : < 5ml/cm²/min



Reverse Lock-knit



Tricot Knit



*Intergard Knitted IFU

Straight



Diameter	Length	Reference
6 mm	20 cm	IGK0006-20
7 mm	20 cm	IGK0007-20
8 mm	20 cm	IGK0008-20
10 mm	20 cm	IGK0010-20
12 mm	20 cm	IGK0012-20
14 mm	20 cm	IGK0014-20
16 mm	20 cm	IGK0016-20
18 mm	20 cm	IGK0018-20
20 mm	20 cm	IGK0020-20
22 mm	20 cm	IGK0022-20
24 mm	20 cm	IGK0024-20

Diameter	Length	Reference
6 mm	40 cm	IGK0006-40
7 mm	40 cm	IGK0007-40
8 mm	40 cm	IGK0008-40
10 mm	40 cm	IGK0010-40
12 mm	40 cm	IGK0012-40
14 mm	40 cm	IGK0014-40
16 mm	40 cm	IGK0016-40
18 mm	40 cm	IGK0018-40
20 mm	40 cm	IGK0020-40
22 mm	40 cm	IGK0022-40
24 mm	40 cm	IGK0024-40

Diameter	Length	Reference
6 mm	70 cm	IGK0006-70
7 mm	70 cm	IGK0007-70
8 mm	70 cm	IGK0008-70
10 mm	70 cm	IGK0010-70
8 mm	100 cm	IGK0008-100

Straight Radially Supported



Diameter	Proximal/ Distal Length	Supported Length	Total Length	Reference
8 mm	40cm/15cm	15 cm	70 cm	IGK0008RS15
6 mm	35cm/15cm	20 cm	70 cm	IGK0006RS20
8 mm	35cm/15cm	20 cm	70 cm	IGK0008RS20
6 mm	25cm/15cm	30 cm	70 cm	IGK0006RS30
8 mm	25cm/15cm	30 cm	70 cm	IGK0008RS30
8 mm	20cm/20cm	45 cm	85 cm	IGK0008RS45

Bifurcated



Diameter	Length	Reference
12 mm x 6 mm	50 cm	IGK1206
14 mm x 7 mm	50 cm	IGK1407
16 mm x 8 mm	50 cm	IGK1608
18 mm x 9 mm	50 cm	IGK1809
20 mm x 10 mm	50 cm	IGK2010
22 mm x 11 mm	50 cm	IGK2211
24 mm x 12 mm	50 cm	IGK2412

Axillo-Bifemoral / Axillo-Bifemoral Radially Supported



Diameter	Distal Length body/branch	Supported Length body/branch	Total Length body/branch	Reference
10mm x 10mm		Not radially supported	100 cm/60cm	IGKAX1010
8mm x 8mm	20 cm/35 cm	45 cm/20 cm	85 cm/55 cm	IGKAX0808RS45/20
8mm x 8mm	20 cm/25 cm	45 cm/30 cm	85 cm/55 cm	IGKAX0808RS45/30
8mm x 8mm	20 cm/25 cm	60 cm/30 cm	100 cm/55 cm	IGKAX0808RS60/30
10mm x 8mm x 8mm	25 cm/35 cm	35 cm/20 cm	85 cm/55 cm	IGKAX100808RS35/20
8mm x 6mm x 6mm	25 cm/35 cm	35 cm/20 cm	85 cm/55 cm	IGKAX080606RS35/20

Intergard Knitted Ultrathin


Knitted Vascular Grafts



Material*:

- Collagen-coated polyester graft
- Reverse lock-knit knitting technique
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Radially Supported grafts have a polypropylene supportive coil
- Water permeability : < 5ml/cm²/min

Ultrathin Straight



Diameter	Length	Reference
6 mm	20 cm	IGKUT0006-20
7 mm	20 cm	IGKUT0007-20
8 mm	20 cm	IGKUT0008-20
6 mm	40 cm	IGKUT0006-40
7 mm	40 cm	IGKUT0007-40
8 mm	40 cm	IGKUT0008-40
6 mm	70 cm	IGKUT0006-70
7 mm	70 cm	IGKUT0007-70
8 mm	70 cm	IGKUT0008-70



Ultrathin Straight Radially Supported



Diameter	Proximal/ Distal Length	Supported Length	Total Length	Reference
8 mm	40 cm /15 cm	15 cm	70 cm	IGKUT0008RS15
6 mm	35 cm /15 cm	20 cm	70 cm	IGKUT0006RS20
7 mm	35 cm /15 cm	20 cm	70 cm	IGKUT0007RS20
8 mm	35 cm /15 cm	20 cm	70 cm	IGKUT0008RS20
6 mm	25 cm /15 cm	30 cm	70 cm	IGKUT0006RS30
7 mm	25 cm /15 cm	30 cm	70 cm	IGKUT0007RS30
8 mm	25 cm /15 cm	30 cm	70 cm	IGKUT0008RS30

*Intergard Knitted Ultrathin IFU

Intergard Knitted Trifurcated/Quadrifurcated Knitted Vascular Grafts



Material*:

- Collagen-coated polyester graft
- Reverse lock-knit knitting technique
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Trifurcated




Diameter	Length	Reference
14 mm x 7 mm	20 cm/35 cm	IGKT1407
16 mm x 8 mm	20 cm/35 cm	IGKT1608
18 mm x 9 mm	20 cm/35 cm	IGKT1809
20 mm x 10 mm	20 cm/35 cm	IGKT2010

Diameter	Length	Reference
14 mm x 7 mm x 7 mm	15 cm/35 cm/34 cm	IGKT140707L
14 mm x 7 mm x 7 mm	15 cm/35 cm/34 cm	IGKT140707R
16 mm x 8 mm x 8 mm	15 cm/35 cm/34 cm	IGKT160808L
16 mm x 8 mm x 8 mm	15 cm/35 cm/34 cm	IGKT160808R
18 mm x 9 mm x 8 mm	15 cm/35 cm/34 cm	IGKT180908L
18 mm x 9 mm x 8 mm	15 cm/35 cm/34 cm	IGKT180908R
20 mm x 10 mm x 9 mm	15 cm/35 cm/34 cm	IGKT201009L
20 mm x 10 mm x 9 mm	15 cm/35 cm/34 cm	IGKT201009R

*Intergard Knitted IFU

Quadrifurcated



Main Body Diameter	Length Body/Branches	Reference
14 mm x 7 mm x 6 mm	15 cm/35 cm/34 cm	IGKQ140706/1
14 mm x 7 mm x 7 mm	15 cm/35 cm/34 cm	IGKQ140707/1
16 mm x 8 mm x 6 mm	15 cm/35 cm/34 cm	IGKQ160806/1
16 mm x 8 mm x 7 mm	15 cm/35 cm/34 cm	IGKQ160807/1
16 mm x 8 mm x 8 mm	15 cm/35 cm/34 cm	IGKQ160808/1
18 mm x 9 mm x 8 mm	15 cm/35 cm/34 cm	IGKQ180908/1
20 mm x 10 mm x 8 mm	15 cm/35 cm/34 cm	IGKQ201008/1
20 mm x 10 mm x 9 mm	15 cm/35 cm/34 cm	IGKQ201009/1

Woven Vascular Grafts

Hemashield Platinum Woven Double Velour

Woven Vascular Grafts



Material*:

- Collagen impregnated polyester graft
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Straight



Over 15 cm Usable Length

Diameter	Reference
12 mm	M00202175112P0
14 mm	M00202175114P0
16 mm	M00202175116P0
18 mm	M00202175118P0
20 mm	M00202175120P0
22 mm	M00202175122P0
24 mm	M00202175124P0
26 mm	M00202175126P0
28 mm	M00202175128P0
30 mm	M00202175130P0
32 mm	M00202175132P0
34 mm	M00202175134P0
38 mm	M00202175138P0

Over 30 cm Usable Length

Diameter	Reference
6 mm	M00202175206P0
7 mm	M00202175207P0
8 mm	M00202175208P0
10 mm	M00202175210P0
12 mm	M00202175412P0
14 mm	M00202175414P0
16 mm	M00202175416P0
18 mm	M00202175418P0
20 mm	M00202175420P0
22 mm	M00202175422P0
24 mm	M00202175424P0
26 mm	M00202175426P0
28 mm	M00202175428P0
30 mm	M00202175430P0
32 mm	M00202175432P0
34 mm	M00202175434P0
38 mm	M00202175438P0

Over 40 cm Usable Length

Diameter	Reference
6 mm	M00202175306P0
7 mm	M00202175307P0
8 mm	M00202175308P0
10 mm	M00202175310P0

Over 60 cm Usable Length

Diameter	Reference
6 mm	M00202175406P0
7 mm	M00202175407P0
8 mm	M00202175408P0
10 mm	M00202175410P0
20 mm	M00202175620P0
22 mm	M00202175622P0
24 mm	M00202175624P0
26 mm	M00202175626P0
28 mm	M00202175628P0
30 mm	M00202175630P0
32 mm	M00202175632P0
34 mm	M00202175634P0
38 mm	M00202175638P0

Bifurcated



Over 40 cm Usable Length

Diameter	Reference	Diameter	Reference
12 mm x 6 mm	M00202166126P0	18 mm x 10 mm	M00202166180P0
14 mm x 7 mm	M00202166147P0	20 mm x 10 mm	M00202166201P0
14 mm x 8 mm	M00202166148P0	20 mm x 11 mm	M00202166211P0
16 mm x 8 mm	M00202166168P0	22 mm x 11 mm	M00202166221P0
16 mm x 9 mm	M00202166169P0	24 mm x 12 mm	M00202166241P0
18 mm x 9 mm	M00202166189P0		

*Hemashield Platinum Woven Double Velour IFU

Hemashield Platinum

Woven Double Velour Aortic Branch

Woven Vascular Grafts



Material*:

- Collagen impregnated polyester graft
- Magnetic Resonance Safe

- Water permeability: < 5ml/cm²/min

Single Branch Graft



50 cm Usable Length

Thoracic Size	Branch Size	Reference
20 mm x 50 cm	10 mm	M00202175820P0
22 mm x 50 cm	10 mm	M00202175822P0
24 mm x 50 cm	10 mm	M00202175824P0
26 mm x 50 cm	10 mm	M00202175826P0
28 mm x 50 cm	10 mm	M00202175828P0
30 mm x 50 cm	10 mm	M00202175830P0
32 mm x 50 cm	10 mm	M00202175832P0
34 mm x 50 cm	10 mm	M00202175834P0

4 Branch Graft

50 cm Usable Length

Thoracic Size	Branch Size	Reference
20mmx50cm	10, 10, 8, 8mm	M00202175920P0
22mmx50cm	10, 10, 8, 8mm	M00202175922P0
24mmx50cm	10, 10, 8, 8mm	M00202175924P0
26mmx50cm	10, 10, 8, 8mm	M00202175926P0
28mmx50cm	10, 10, 8, 8mm	M00202175928P0
30mmx50cm	10, 10, 8, 8mm	M00202175930P0
32mmx50cm	12, 10, 10, 10mm	M00202175732P0
34mmx50cm	12, 10, 10, 10mm	M00202175734P0

Angled 4 Branch Graft



50 cm Usable Length

Thoracic Size	Branch Size	Reference
24mmx50cm	12, 10, 8, 8mm	M00202175724AP0
26mmx50cm	12, 10, 8, 8mm	M00202175726AP0
28mmx50cm	12, 10, 8, 8mm	M00202175728AP0
30mmx50cm	12, 10, 8, 8mm	M00202175730AP0

Thoraco Abdominal Graft

47 cm Usable Length

Thoracic Size	Branch Size	Reference
20mmx47cm	10, 10, 8, 8mm	M00202175420T0
22mmx47cm	10, 10, 8, 8mm	M00202175422T0
24mmx47cm	10, 10, 8, 8mm	M00202175424T0
26mmx47cm	10, 10, 8, 8mm	M00202175426T0
28mmx47cm	10, 10, 8, 8mm	M00202175428T0
30mmx47cm	10, 10, 8, 8mm	M00202175430T0
32mmx47cm	10, 10, 8, 8mm	M00202175432T0

3 Branch Graft



30 cm Usable Length

Thoracic Size	Branch Size	Reference
12mmx30cm	8, 8 mm	M00202175912P0
14mmx30cm	10, 10 mm	M00202175914P0

*Hemashield Platinum Woven Double Velour IFU

Cardioroot Woven

Woven Vascular Grafts



Material*:

- Collagen-coated polyester graft
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Cardioroot Woven delivers another option for the repair or reconstruction of the ascending aorta.

Cardioroot Woven features an uncrimped bulged section with a 1-cm collar at its proximal end.

The design of Cardioroot Woven mimics the anatomy and blood flow dynamics of the natural sinuses of Valvasa¹.


The design incorporates an uncrimped section to facilitate sewing².

Cardioroot


Body Diameter	Body Length	Bulge Diameter	Bulge Length	Collar Length	Reference
24 mm	15 cm	32 mm	24 mm	10 mm	HEWROOT0024
26 mm	15 cm	34 mm	26 mm	10 mm	HEWROOT0026
28 mm	15 cm	36 mm	28 mm	10 mm	HEWROOT0028
30 mm	15 cm	38 mm	30 mm	10 mm	HEWROOT0030
32 mm	15 cm	40 mm	32 mm	10 mm	HEWROOT0032
34 mm	15 cm	42 mm	34 mm	10 mm	HEWROOT0034

*Cardioroot Woven IFU

1. Tasca, G., et al., Aortic root surgery with the CARDIOROOT vascular graft: results of a prospective multicenter post-market surveillance study. J Cardiothorac Surg, 2019. 14(1): p.94
2. Urbanski, P.P. and S. Frank., New vascular graft for simplification of the aortic valve reimplantation technique. Interact Cardiovasc Thorac Surg, 2008. 7(4): p. 552-4




Cardioroot




Straight Tube

The proximal collar can be used for prosthetic valve sewing or trimmed/inverted for valve sparing procedures.



Intergard Woven

Woven Vascular Grafts



Material*:

- Collagen-coated polyester graft
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability: < 5ml/cm²/min

Straight



Diameter	Length	Reference	Diameter	Length	Reference	Diameter	Length	Reference
12 mm	15 cm	IGW0012-15	6 mm	30 cm	IGW0006-30	22 mm	60 cm	IGW0022-60
14 mm	15 cm	IGW0014-15	8 mm	30 cm	IGW0008-30	24 mm	60 cm	IGW0024-60
16 mm	15 cm	IGW0016-15	10 mm	30 cm	IGW0010-30	26 mm	60 cm	IGW0026-60
18 mm	15 cm	IGW0018-15	12 mm	30 cm	IGW0012-30	28 mm	60 cm	IGW0028-60
20 mm	15 cm	IGW0020-15	14 mm	30 cm	IGW0014-30	30 mm	60 cm	IGW0030-60
22 mm	15 cm	IGW0022-15	16 mm	30 cm	IGW0016-30	32 mm	60 cm	IGW0032-60
24 mm	15 cm	IGW0024-15	18 mm	30 cm	IGW0018-30			
26 mm	15 cm	IGW0026-15	20 mm	30 cm	IGW0020-30			
28 mm	15 cm	IGW0028-15	22 mm	30 cm	IGW0022-30			
30 mm	15 cm	IGW0030-15	24 mm	30 cm	IGW0024-30			
32 mm	15 cm	IGW0032-15	26 mm	30 cm	IGW0026-30			
34 mm	15 cm	IGW0034-15	28 mm	30 cm	IGW0028-30			
36 mm	15 cm	IGW0036-15	30 mm	30 cm	IGW0030-30			
			32 mm	30 cm	IGW0032-30			
			34 mm	30 cm	IGW0034-30			
			36 mm	30 cm	IGW0036-30			
			38 mm	30 cm	IGW0038-30			

Bifurcated




Diameter	Length	Reference
12 x 6 mm	50 cm	IGW1206
14 x 7 mm	50 cm	IGW1407
16 x 8 mm	50 cm	IGW1608
18 x 9 mm	50 cm	IGW1809
20 x 10 mm	50 cm	IGW2010
22 x 11 mm	50 cm	IGW2211
24 x 12 mm	50 cm	IGW2412

* Intergard Woven IFU

Intergard Woven Aortic Arch and Hemabridge

Woven Vascular Grafts



Material*:

- Collagen-coated polyester graft
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Pre-sewn branches facilitate attachment of aortic arch vessels to graft allow reduced surgery time¹

30cm length perfusion branch is designed for easy manipulation about the operative site^{2,3,4}

Material*:

- Collagen-coated polyester graft
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

30cm length perfusion branch is designed for easy manipulation about the operative site^{2,3,4}

Aortic Arch



Diameter	Length	Reference
20x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA2010080810/1
22x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA2210080810/1
24x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA2410080810/1
26x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA2610080810/1
28x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA2810080810/1
30x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA3010080810/1
32x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA3210080810/1
34x10x8x8x10 mm	50x30x30x30x30 mm	HEWAA3410080810/1

Hemabridge



Diameter	Length	Reference
20 mm x 10 mm	35 cm x 40 cm	HEW2010BRIDGE
22 mm x 10 mm	35 cm x 40 cm	HEW2210BRIDGE
24 mm x 10 mm	35 cm x 40 cm	HEW2410BRIDGE
26 mm x 10 mm	35 cm x 40 cm	HEW2610BRIDGE
28 mm x 10 mm	35 cm x 40 cm	HEW2810BRIDGE
30 mm x 10 mm	35 cm x 40 cm	HEW3010BRIDGE
32 mm x 10 mm	35 cm x 40 cm	HEW3210BRIDGE
34 mm x 10 mm	35 cm x 40 cm	HEW3410BRIDGE
36 mm x 10 mm	35 cm x 40 cm	HEW3610BRIDGE

* Intergard Woven IFU

1. Bednarkiewicz, M., et al., Aortic arch replacement using a four-branched aortic arch graft. Eur J Cardiothorac Surg, 2002, 21(1): p. 89-91
2. Sakamoto, S., et al., Clinical results of aortic arch replacement using a four branched prosthetic graft. J Cardiovasc Surg (Torino), 2003, 44(6): p. 751-5.
3. Bednarkiewicz, M., et al., Aortic arch replacement using a four-branched aortic arch graft. Eur J Cardiothorac Surg, 2002, 21(1): p. 89-91.
4. Kazui, T., Total arch replacement with separated graft technique and selective antegrade cerebral perfusion. Ann Cardiothorac Surg, 2013, 2(3): p. 353-7.

Intergard Woven Thoracic Aortic Graft

Woven Vascular Grafts



Material*:

- Collagen-coated polyester graft
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

The design incorporates an uncrimped section to facilitate sewing^{1,2,3}

Thoracic Aortic Graft

Diameter	Length	Reference
24 mm	15 cm	IGW0024-15NGG
26 mm	15 cm	IGW0026-15NGG
28 mm	15 cm	IGW0028-15NGG
30 mm	15 cm	IGW0030-15NGG
32 mm	15 cm	IGW0032-15NGG
34 mm	15 cm	IGW0034-15NGG


*Intergard Woven IFU

1. Urbanski, P.P. and S. Frank, New vascular graft for simplification of the aortic valve reimplantation technique. *Interact Cardiovasc Thorac Surg*, 2008. 7(4): p. 552-4.
2. Urbanski, P.P., et al., Reconstructive aortic valve surgery in the elderly: Techniques and outcomes. *J Thorac Cardiovasc Surg*, 2018. 155(4): p. 1414-1420
3. Urbanski, P.P., et al., Aortic root reconstruction using new vascular graft. *Interact Cardiovasc Thorac Surg*, 2009. 8(2): p. 187-90

Antimicrobial Vascular Grafts

Intergard Synergy Knitted

Antimicrobial Vascular Grafts



The grafts combine two antimicrobial agents, which offer a synergistic effect increasing the antimicrobial efficacy as compared to the existing available vascular prostheses on the market as demonstrated *in vitro*.^{1,2,3}

Faster antimicrobial efficacy is observed *in vitro* as compared to other antimicrobial vascular grafts.^{1,2,3}

Material*:

- Collagen-coated vascular graft
- Graft loaded with antimicrobial agents: silver acetate and triclosan
- Reverse lock-knit knitting technique
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Radially Supported grafts have a polypropylene supportive coil
- Water permeability : < 5ml/cm²/min

*Intergard Synergy Knitted IFU

1. Berard, X., et al., In vitro Evidence of Improved Antimicrobial Efficacy of Silver and Triclosan Containing Vascular Grafts Compared with Rifampicin Soaked Grafts. Eur J Vasc Endovasc Surg, 2019. 57(3): p. 424-432.
2. Berard, X., et al., Comparison of the Antimicrobial Properties of Silver Impregnated Vascular Grafts with and without Triclosan. Eur J Vasc Endovasc Surg, 2016. 51(2): p. 285-92.
3. Ricco, J.B., et al., In vitro evaluation of the antimicrobial efficacy of a new silver-triclosan vs a silver collagen-coated polyester vascular graft against methicillin-resistant Staphylococcus aureus. J Vasc Surg, 2012. 55(3): p. 823-9.

Intergard Synergy Knitted Antimicrobial Vascular Grafts

Straight



Diameter	Length	Reference
6 mm	20 cm	IGK0006-20SG
8 mm	20 cm	IGK0008-20SG
12 mm	20 cm	IGK0012-20SG
14 mm	20 cm	IGK0014-20SG
16 mm	20 cm	IGK0016-20SG
18 mm	20 cm	IGK0018-20SG
20 mm	20 cm	IGK0020-20SG
22 mm	20 cm	IGK0022-20SG
24 mm	20 cm	IGK0024-20SG

Diameter	Length	Reference
6 mm	40 cm	IGK0006-40SG
7 mm	40 cm	IGK0007-40SG
8 mm	40 cm	IGK0008-40SG
10 mm	40 cm	IGK0010-40SG
12 mm	40 cm	IGK0012-40SG
14 mm	40 cm	IGK0014-40SG
16 mm	40 cm	IGK0016-40SG
18 mm	40 cm	IGK0018-40SG
20 mm	40 cm	IGK0020-40SG
22 mm	40 cm	IGK0022-40SG
24 mm	40 cm	IGK0024-40SG

Diameter	Length	Reference
6 mm	70 cm	IGK0006-70SG
7 mm	70 cm	IGK0007-70SG
8 mm	70 cm	IGK0008-70SG
10 mm	70 cm	IGK0010-70SG

Straight Radially Supported



Diameter	Proximal Length	Supported Length	Distal Length	Total Length	Reference
6 mm	35 cm	20 cm	15 cm	70 cm	IGK0006RS20SG
6 mm	25 cm	30 cm	15 cm	70 cm	IGK0006RS30SG
6 mm	20 cm	45 cm	20 cm	85 cm	IGK0006RS45SG
8 mm	12.5 cm	15 cm	12.5 cm	40 cm	IGK0008RS15-40SG
8 mm	40 cm	15 cm	15 cm	70 cm	IGK0008RS15SG
8 mm	35 cm	20 cm	15 cm	70 cm	IGK0008RS20SG
8 mm	25 cm	30 cm	15 cm	70 cm	IGK0008RS30SG
8 mm	20 cm	45 cm	20 cm	85 cm	IGK0008RS45SG
8 mm	20 cm	60 cm	20 cm	100 cm	IGK0008RS60SG
10 mm	15 cm	10 cm	15 cm	40 cm	IGK0010RS10-40SG

Bifurcated




Diameter	Length	Reference
12 mm x 6 mm	50 cm	IGK1206SG
14 mm x 7 mm	50 cm	IGK1407SG
16 mm x 8 mm	50 cm	IGK1608SG
18 mm x 9 mm	50 cm	IGK1809SG
20 mm x 10 mm	50 cm	IGK2010SG
22 mm x 11 mm	50 cm	IGK2211SG
24 mm x 12 mm	50 cm	IGK2412SG

Axillo-Bifemoral / Axillo-Bifemoral Radially Supported



Diameter Length	Supported Length (body/branch)	Total Length (body/branch)	Reference
8 mm x 8 mm	Not radially supported	100 cm x 60 cm	IGKAX0808SG
8 mm x 8 mm	45 cm x 20 cm	85 cm x 55 cm	IGKAX0808RS45/20SG
8 mm x 8 mm	45 cm x 30 cm	85 cm x 55 cm	IGKAX0808RS45/30SG
8 mm x 8 mm	60 cm x 30 cm	100 cm x 55 cm	IGKAX0808RS60/30SG

Ultrathin Straight Radially Supported



Diameter	Proximal Length	Supported Length	Distal Length	Total Length	Reference
6 mm	35 cm	20 cm	15 cm	70 cm	IGKUT0006RS20SG
6 mm	25 cm	30 cm	15 cm	70 cm	IGKUT0006RS30SG
7 mm	35 cm	20 cm	15 cm	70 cm	IGKUT0007RS20SG
7 mm	25 cm	30 cm	15 cm	70 cm	IGKUT0007RS30SG
8 mm	15 cm	10 cm	15 cm	40 cm	IGKUT0008RS10-40SG
8 mm	12.5 cm	15 cm	12.5 cm	40 cm	IGKUT0008RS15-40SG
8 mm	40 cm	15 cm	15 cm	70 cm	IGKUT0008RS15SG
8 mm	35 cm	20 cm	15 cm	70 cm	IGKUT0008RS20SG
8 mm	25 cm	30 cm	15 cm	70 cm	IGKUT0008RS30SG

Ultrathin Straight



Diameter	Length	Reference
6 mm	40 cm	IGKUT0006-40SG
7 mm	40 cm	IGKUT0007-40SG
8 mm	40 cm	IGKUT0008-40SG
6 mm	70 cm	IGKUT0006-70SG
7 mm	70 cm	IGKUT0007-70SG
8 mm	70 cm	IGKUT0008-70SG

Intergard Silver Knitted / Intergard Silver Woven

Antimicrobial Vascular Grafts



Material*:

- Collagen-coated vascular graft
- Graft loaded with an antimicrobial agent: silver acetate
- Reverse lock-knit knitting technique (only for Knitted graft)
- External velour surface and non-velour inner surface
- Magnetic Resonance Safe
- Radially Supported grafts have a polypropylene supportive coil
- Water permeability : < 5ml/cm²/min

Intergard Silver Knitted

Straight

Diameter	Length	Reference
6 mm	20 cm	IGK0006-20S
8 mm	20 cm	IGK0008-20S
12 mm	20 cm	IGK0012-20S
14 mm	20 cm	IGK0014-20S
16 mm	20 cm	IGK0016-20S
18 mm	20 cm	IGK0018-20S
20 mm	20 cm	IGK0020-20S
22 mm	20 cm	IGK0022-20S
24 mm	20 cm	IGK0024-20S

Diameter	Length	Reference
6 mm	40 cm	IGK0006-40S
7 mm	40 cm	IGK0007-40S
8 mm	40 cm	IGK0008-40S
10 mm	40 cm	IGK0010-40S
12 mm	40 cm	IGK0012-40S
14 mm	40 cm	IGK0014-40S
16 mm	40 cm	IGK0016-40S
18 mm	40 cm	IGK0018-40S
20 mm	40 cm	IGK0020-40S
22 mm	40 cm	IGK0022-40S
24 mm	40 cm	*IGK0024-40S

Diameter	Length	Reference
6 mm	70 cm	IGK0006-70S
7 mm	70 cm	IGK0007-70S
8 mm	70 cm	IGK0008-70S
10 mm	70 cm	IGK0010-70S

Bifurcated

Diameter	Length	Reference
12 mm x 6 mm	50 cm	IGK1206S
14 mm x 7 mm	50 cm	IGK1407S
16 mm x 8 mm	50 cm	IGK1608S
18 mm x 9 mm	50 cm	IGK1809S
20 mm x 10 mm	50 cm	IGK2010S
22 mm x 11 mm	50 cm	IGK2211S
24 mm x 12 mm	50 cm	IGK2412S

*Intergard Silver IFU

Intergard Silver Knitted / Intergard Silver Woven

Antimicrobial Vascular Grafts

Intergard Silver Knitted

Straight Radially Supported




Diameter	Proximal Length	Supported Length	Distal Length	Total Length	Reference
6mm	35 cm	20 cm	15 cm	70 cm	IGK0006RS20S
6mm	25 cm	30 cm	15 cm	70 cm	IGK0006RS30S
6mm	20 cm	45 cm	20 cm	85 cm	IGK0006RS45S
8mm	12.5 cm	15 cm	12.5 cm	40 cm	IGK0008RS15-40S
8mm	40 cm	15 cm	15 cm	70 cm	IGK0008RS15S
8mm	35 cm	20 cm	15 cm	70 cm	IGK0008RS20S
8mm	25 cm	30 cm	15 cm	70 cm	IGK0008RS30S
8mm	20 cm	45 cm	20 cm	85 cm	IGK0008RS45S
8mm	20 cm	60 cm	20 cm	100 cm	IGK0008RS60S
10 mm	15 cm	10 cm	15 cm	40 cm	IGK0010RS10-40S

Axillo-Bifemoral / Axillo-Bifemoral Radially Supported



Diameter Length	Supported Length (body/branch)	Total Length (body/branch)	Reference
8 mm x 8mm	Not radially supported	100 cm x 60 cm	IGKAX0808S
8 mm x 8mm	45 cm x 20 cm	85 cm x 55 cm	IGKAX0808RS45/20S
8 mm x 8mm	45 cm x 30 cm	85 cm x 55 cm	IGKAX0808RS45/30S
8 mm x 8mm	60 cm x 30 cm	100 cm x 55 cm	IGKAX0808RS60/30S

Ultrathin Straight Radially Supported



Diameter	Proximal Length	Supported Length	Distal Length	Total Length	Reference
6mm	35 cm	20 cm	15 cm	70cm	IGKUT0006RS20S
6mm	25 cm	30 cm	15 cm	70cm	IGKUT0006RS30S
7mm	35 cm	20 cm	15 cm	70cm	IGKUT0007RS20S
7mm	25 cm	30 cm	15 cm	70cm	IGKUT0007RS30S
8mm	15 cm	10 cm	15 cm	40cm	IGKUT0008RS10-40S
8mm	12.5 cm	15 cm	12.5 cm	40cm	IGKUT0008RS15-40S
8mm	40 cm	15 cm	15 cm	70cm	IGKUT0008RS15S
8mm	35 cm	20 cm	15 cm	70cm	IGKUT0008RS20S
8mm	25 cm	30 cm	15 cm	70cm	IGKUT0008RS30S

Ultrathin Straight



Diameter	Length	Reference
6 mm	40 cm	IGKUT0006-40S
7 mm	40 cm	IGKUT0007-40S
8 mm	40 cm	IGKUT0008-40S
6 mm	70 cm	IGKUT0006-70S
7 mm	70 cm	IGKUT0007-70S
8 mm	70 cm	IGKUT0008-70S

Intergard Silver Woven

Straight



15 cm length

Diameter	Reference
12 mm	IGW0012-15S
14 mm	IGW0014-15S
16 mm	IGW0016-15S
18 mm	IGW0018-15S
20 mm	IGW0020-15S
22 mm	IGW0022-15S
24 mm	IGW0024-15S
26 mm	IGW0026-15S
28 mm	IGW0028-15S
30 mm	IGW0030-15S
32 mm	IGW0032-15S

30 cm length

Diameter	Reference
8mm	IGW0008-30S
10mm	IGW0010-30S
12mm	IGW0012-30S
14mm	IGW0014-30S
16mm	IGW0016-30S
18mm	IGW0018-30S
20mm	IGW0020-30S
22mm	IGW0022-30S
24mm	IGW0024-30S
26mm	IGW0026-30S
28mm	IGW0028-30S
30mm	IGW0030-30S
32mm	IGW0032-30S

Bifurcated



50 cm length

Diameter	Reference
14 mm x 7 mm	IGW1407S
16 mm x 8 mm	IGW1608S
18 mm x 9 mm	IGW1809S
20 mm x 10 mm	IGW2010S
22 mm x 11 mm	IGW2211S
24 mm x 12 mm	IGW2412S

ePTFE Grafts

Flixene

ePTFE Vascular Grafts



Three-layer Construction

- The Flixene vascular graft has been demonstrated in clinical literature to be a reliable AV access conduit for dialysis care in terms of successful cannulation and patency.

Published Data


- Published literature has shown that the Flixene graft can be used for early cannulation (24-72 hours)^{1,2,3}

3 Layer ePTFE graft

Large pore (nominal 60 μ m) surface layer, more receptive to tissue ingrowth*

Middle layer, reinforcing wrap

Small pore base layer, inner graft surface porosity of nominal 20 μ m*




* Data on file

1. Schild AF, Schuman ES, Noicely K, et al. Early cannulation prosthetic graft (Flixene) for arteriovenous access. *J Vasc Access*. 2011 Jul-Sep;12(3):248-52.
2. Hinojosa CA, Soto-Solis S, Olivares-Cruz S, Laparra-Escareno H, Gomez-Arcive Z, Anaya-Ayala JE. Early cannulation graft Flixene™ for conventional and complex hemodialysis access creation. *J Vasc Access*. 2017 Mar 21;18(2):109-113. doi: 10.5301/jva.5000550. Epub 2017 Feb 6.
3. Berard X, Ottaviani N, Brizzi V, Deglise S, de Precigout V, Ducasse E, Combe C, Midy D. Use of the Flixene vascular access graft as an early cannulation solution. *J Vasc Surg*. 2015 Jul;62(1):128-34. doi: 10.1016/j.jvs.2015.02.002. Epub 2015 Mar 12.


Flixene

ePTFE Vascular Grafts

Flixene Graduated Wall Technology:




Straight



Diameter	Length	Wall Thickness	Slider GDS	Reference
6 mm	10 cm	SW	No	25053
6 mm	30 cm	GW	Yes, 1	25125
6 mm	30 cm	SW	Yes, 1	25142
6 mm	40 cm	GW	Yes, 1	25061
6 mm	50 cm	SW	Yes, 1	25052
6 mm	50 cm	GW	Yes, 1	25058
7 mm	10 cm	SW	No	25054
7 mm	30 cm	GW	Yes, 1	25126
7 mm	40 cm	GW	Yes, 1	25062
7 mm	50 cm	SW	Yes, 1	25056
7 mm	50 cm	GW	Yes, 1	25059
7 mm	80 cm	GW	Yes, 1	25120
8 mm	50 cm	SW	No	25057

Graduated wall is approximately 8 cm on Flixene straight grafts.

Tapered



Diameter	Length	Wall Thickness	Slider GDS	Reference
4-6 mm	35 cm	GWT-GW	Yes, 2	25128
4-6 mm	45 cm	GWT	Yes, 2	25134
4-6 mm	45 cm	GWT-GW	Yes, 2	25137
4-7 mm	30 cm	GWT-GW	Yes, 2	25141
4-7 mm	35 cm	GWT-GW	Yes, 2	25129
4-7 mm	45 cm	GWT	Yes, 2	25135
4-7 mm	45 cm	GWT-GW	Yes, 2	25138

Graduated wall is approximately 8 cm on Flixene tapered grafts.

Advanta VXT


ePTFE Vascular Grafts




2-Layer Reinforced Grafts

Experience Getinge's VXT graft technology in your next surgical graft placement. Designed to withstand the repeated cannulation associated with accessing a graft for hemodialysis.

Straight



Diameter	Length	Wall Thickness	Helix/Ring Support	Slider GDS	Reference
4 mm	10 cm	SW	No	No	21276
4 mm	50 cm	SW	No	No	21015
4 mm	70 cm	SW	No	No	21024
5 mm	10 cm	SW	No	No	21277
5 mm	40 cm	SW	No	Yes, 1	22011
5 mm	50 cm	SW	No	Yes, 1	22016
5 mm	70 cm	SW	No	Yes, 1	22025
6 mm	10 cm	SW	No	No	21000
6 mm	10 cm	TW	No	No	21154
6 mm	30 cm	SW	No	No	21007
6 mm	40 cm	SW	No	Yes, 1	22012
6 mm	40 cm	TW	No	Yes, 1	22169
6 mm	50 cm	SW	No	Yes, 1	22017
6 mm	50 cm	TW	No	Yes, 1	22175
6 mm	70 cm	SW	No	Yes, 1	22026
6 mm	70 cm	TW	No	Yes, 1	22185
6 mm	80 cm	TW	No	Yes, 1	22190
7 mm	10 cm	SW	No	No	21001
7 mm	50 cm	SW	No	Yes, 1	22018
7 mm	50 cm	TW	No	Yes, 1	22176
7 mm	70 cm	SW	No	Yes, 1	22027
7 mm	70 cm	TW	No	Yes, 1	22186
8 mm	10 cm	SW	No	No	21002
8 mm	40 cm	SW	No	Yes, 1	22014
8 mm	40 cm	TW	No	Yes, 1	22170
8 mm	50 cm	SW	No	Yes, 1	22019
8 mm	70 cm	SW	No	Yes, 1	22028
8 mm	70 cm	TW	No	Yes, 1	22187
8 mm	80 cm	TW	No	Yes, 1	22192
10 mm	50 cm	SW	No	No	21020
10 mm	70 cm	SW	No	No	21029



The large pore (nominal 50-60 μm) surface layer has been shown to promote tissue ingrowth compared with smaller pore surface architecture

VXT has an inner surface porosity of nominal 20 μm

Externally supported



Diameter	Length	Wall Thickness	Helix/Ring Support	Slider GDS	Reference
5 mm	10 cm	SW	Yes	No	21279
5 mm	40 cm	SW	Yes	Yes, 1	22058
5 mm	50 cm	SW	Yes	Yes, 1	22061
5 mm	80 cm	SW	Yes	No	21074
6 mm	40 cm	SW	Yes	Yes, 1	22059
6 mm	50 cm	SW	Yes	Yes, 1	22062
6 mm	50 cm	TW	Yes	Yes, 1	22212
6 mm	70 cm	SW	Yes	Yes, 1	22070
6 mm	70 cm	TW	Yes	Yes, 1	22220
6 mm	80 cm	SW	Yes	Yes, 1	22075
6 mm	80 cm	TW	Yes	Yes, 1	22225
7 mm	50 cm	SW	Yes	Yes, 1	22063
7 mm	50 cm	TW	Yes	Yes, 1	22213
7 mm	70 cm	SW	Yes	Yes, 1	22071
7 mm	70 cm	TW	Yes	Yes, 1	22221
7 mm	80 cm	SW	Yes	Yes, 1	22076
8 mm	40 cm	TW	Yes	Yes, 1	22209
8 mm	50 cm	SW	Yes	Yes, 1	22064
8 mm	50 cm	TW	Yes	Yes, 1	22214
8 mm	70 cm	SW	Yes	Yes, 1	22072
8 mm	70 cm	TW	Yes	Yes, 1	22222
8 mm	80 cm	TW	Yes	Yes, 1	22227
10 mm	80 cm	SW	Yes	No	21078

Tapered



Diameter	Length	Wall Thickness	Helix/Ring Support	Slider GDS	Reference
4-6mm	45 cm	SW	No	Yes, 1	22114
4-7mm	45 cm	SW	No	Yes, 1	22115
4-7mm	70 cm	SW	No	Yes, 1	22117
4-7mm	45 cm	SW	No	Yes, 2	22297
5-8mm	45 cm	SW	No	Yes, 1	22116
4-7mm	80 cm	TW	Yes	Yes, 1	22266
5-8 mm	80 cm	TW	Yes	Yes, 1	22267

Patches

Hemapatch Knitted

Knitted Patches



Material*:

- Collagen-coated polyester patch
- Reverse lock-knit knitting technique
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Hemapatch Knitted

Dimensions	Reference
25 mm x 50 mm	HEK25/50P (1)
25 mm x 100 mm	HEK25/100P (1)
50 mm x 50 mm	HEK50/50P (1)
75 mm x 75 mm	HEK75/75P (1)
100 mm x 100 mm	HEK100/100P (1)
10 mm x 140 mm	HEK10/140P (1)
20 mm x 140 mm	HEK20/140P (1)

*Hemapatch Knitted IFU

Hemacarotid Patch Knitted

Knitted Patches



Material*:

- Collagen-coated polyester patch
- Reverse lock-knit knitting technique
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Hemacarotid Patch Knitted

Dimensions	Reference
6 mm x 75 mm	HEK06/75CP (1)
8 mm x 75 mm	HEK08/75CP (1)
10 mm x 75 mm	HEK10/75CP (1)
12 mm x 75 mm	HEK12/75CP (1)
14 mm x 75 mm	HEK14/75CP (1)

*Hemacarotid Patch Knitted IFU

Hemacarotid Patch Knitted Ultrathin

Knitted Patches



Material*:

- Collagen-coated polyester patch
- Reverse lock-knit knitting technique
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min


Hemacarotid Patch Knitted Ultrathin

Dimensions	Reference
6 mm x 75 mm	HEK06/75CPUT (1)
8 mm x 75 mm	HEK08/75CPUT (1)
10 mm x 75 mm	HEK10/75CPUT (1)
12 mm x 75 mm	HEK12/75CPUT (1)
14 mm x 75 mm	HEK14/75CPUT (1)
10 mm x 150 mm	HEK10/150CPUT (1)
25 mm x 100 mm	HEK25/100CPUT (1)
6 mm x 120 mm	HEK06/120CPUT(1)
8 mm x 120 mm	HEK08/120CPUT(1)

*Hemacarotid Patch Knitted IFU

Hemapatch Silver Knitted Ultrathin

Knitted Patches



Material*:

- Collagen-coated polyester patch
- Patch loaded with an anti-microbial agent: silver acetate
- Reverse lock-knit knitting technique
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min


Hemapatch Silver Knitted Ultrathin

Dimensions	Reference
10 mm x 150 mm	HEK10/150UTS (1)
14 mm x 75 mm	HEK14/75UTS (1)
25 mm x 100 mm	HEK25/100UTS (1)

*Hemapatch Silver Knitted IFU

Hemashield Woven Double Velour Cardiovascular Fabric

Woven Patches



Material*

- Collagen impregnated polyester patch
- Magnetic Resonance Safe
- Water permeability : < 10ml/cm²/min


Hemashield Woven Double Velour Cardiovascular Fabric

Dimensions	Dimensions	Reference
1.0" x 6.0"	2.5 cm x 15.2 cm	M002000196170
2.0" x 3.0"	5.1 cm x 7.6 cm	M002000196240
2.0" x 6.0"	5.1 cm x 15.2 cm	M002000196270

*Hemashield Woven Double Velour Cardiovascular Fabrics IFU

Hemashield Platinum Finesse Ultrathin Knitted Cardiovascular Patch

Knitted Patches



Material*:

- Collagen impregnated polyester patch
- Reverse lock-knit knitting technique
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min


Hemashield Platinum Finesse Ultra -Thin Knitted Cardiovascular Patch

Width x Length	Reference	Tapered
6 mm x 76 mm	M00202019575P0	Yes
8 mm x 76 mm	M00202019579P0	Yes
8 mm x 152 mm	M00202019585P0	Yes
25 mm x 76 mm	M00202019530P0	No
25 mm x 152 mm	M00202019561P0	No

*Hemashield Platinum Finesse Ultra-Thin Knitted Cardiovascular Patch IFU

Hemapatch Woven

Woven Patches



Material*:

- Collagen-coated polyester patch
- Magnetic Resonance Safe
- Water permeability : < 5ml/cm²/min

Hemapatch Woven

Dimensions	Reference
25 mm x 50 mm	HEW25/50P (1)
25 mm x 100 mm	HEW25/100P (1)
50 mm x 50 mm	HEW50/50P (1)
75 mm x 75 mm	HEW75/75P (1)
100 mm x 100 mm	HEW100/100P (1)

Tunneling Solutions

Vascular Graft Tunneler Instrumentation

Tunneling Solutions



Vascular Graft Tunneler Instrumentation

Product	Description	Reference
AV-1, Vascular graft tunneler rod	26 cm Length with 50° curve (Stainless Steel)	26012
AV-2, vascular graft tunneler rod	27 cm Length with 180° curve (Stainless Steel)	26013
PV-1, Vascular graft tunneler rod	33cm Length with 12° curve (Stainless Steel)	26014
PV-2, Vascular graft tunneler rod	58 cm Length with 24° curve (Stainless Steel)	26015
Vascular graft tunneler instrumentation set w/tray	2 AV Tunnelers, 2 PV Tunnelers, Set of 8 Tips, 2 per size: 6 mm, 7 mm, 8 mm, 10 mm	26026*
Vascular graft tunneler instrumentation tray		26027*

Vascular Graft Tunneler Rod Tips

Product	Description	Reference
Vascular graft tunneler tips (4 mm)	Set of 2	26018
Vascular graft tunneler tips (5 mm)	Set of 2	26019
Vascular graft tunneler tips (6 mm)	Set of 2	26007
Vascular graft tunneler tips (7mm)	Set of 2	26008
Vascular graft tunneler tips (8mm)	Set of 2	26009
Vascular graft tunneler tips (10mm)	Set of 2	26010
Set of 8 size vascular graft tunneler tips	2 per size: 6 mm, 7 mm, 8 mm, 10 mm	26006
Vascular graft tunneler blunt tips (6mm)	Set of 2	26021
Vascular graft tunneler blunt tips (7mm)	Set of 2	26022
Vascular graft tunneler blunt tips (8mm)	Set of 2	26023
Vascular graft tunneler blunt tips (10mm)	Set of 2	26024

Low Profiling Tunneling Instrumentation



Tunneling Tips feature a hole in the middle of the tip for securing a graft not equipped with a Slider GDS.



Creates a tighter tunnel to match graft diameter.



Unique thumb tab provides directional control.

Slider GDS

The Slider GDS tunneling system provides fast graft attachment and insertion. The Slider GDS System allows the user to pull a small diameter graft through the subcutaneous tissue. The Slider GDS facilitates graft insertion and delivery to the target location. The Slider GDS connects directly to the tunneler rod by a thread connection. Per Schild et al., this system has the potential for reducing trauma, tunnel bleeding, graft sweating, edema, and operative infections.¹

* Product available 2022

Protected by the following international and U.S. Patent(s): <http://patents.maquet.com>

1. Schild AF, Baltodano NM, Alfieri K, Livingstone J, Raines JK. New Graft for Low Friction Tunneling in Vascular Access Surgery. *J Vasc Access*. 2004 Jan-Mar;5(1):19-24.

Other Products

Graft Sizers

Other Products



Single use graft sizers are designed to aid the physician in determining the size of the lumen of the host vessel in order to select the appropriate graft diameter.

Small graft sizer

Diameter (mm)	Multipack	Reference
5-24	10 units per pack	M002363200201

Large graft sizer

Diameter (mm)	Multipack	Reference
24-38	10 units per pack	M002363200211

The Surgical Academy

Knowing What's Important



As a communication center the Getinge Experience Center offers a variety of specialist events on topics relating to medicine, health policy, and hospital management. An exhibition hall with the complete product range, two auditoria with multimedia equipment, four conference rooms as well as fully equipped and functional operating and intensive care rooms are among the infrastructure at this unique facility.

In workshops, experts in small groups communicate valuable findings for everyday clinical work. Practice-oriented teaching materials supplement the offering, for example a positioning primer which explains the rudiments of surgical positioning step-by-step.


Inhouse product trainings for worldwide Getinge business partners ensure a permanent high level of knowledge and the ability of excellent customer support.

Getinge Vascular Academy

Simulation Training Program



Vascular access



Carotid endarterectomy




Femoral-popliteal bypass



Open surgery



Thoracic surgery procedures



Endovascular procedures

Getinge offers:

- Lifelike pulsatile simulators.
- Vascular inlays (synthetic arteries and veins) for the simulators.
- Getinge graft, patch and stent samples.
- Getinge staff to set up and run the simulators.



This document is intended to provide information to an international audience. Refer to Instructions For Use for current indications, warnings, contraindications, and precautions. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Certain products may not be licensed or available in certain countries or in stock. Please check with your local distributor for availability.

Advanta vascular grafts, Slider graft deployment system (GDS), and FLIXENE vascular grafts are manufactured by Atrium Medical Corporation / 40 Continental Blvd., Merrimack, NH 03054 / Tel. 603-880-1433 • Intergard/Hemagard/Hemashield vascular products, Polyester Tape and Graft Sizers are manufactured by Intervascular SAS / Z.I. Athélia 1, 13705 La Ciotat Cedex, France / +33 (0)4 42 08 46 46 • Fusion and Fusion Bioline products are manufactured by Maquet Cardiovascular, LLC / 45 Barbour Pond Drive, Wayne, NJ 07470 / (+1) 408-635-0700 • Protected by the following international and U.S. patent(s): <http://patents.maquet.com>. • Getinge, GETINGE, and Atrium are trademarks or registered trademarks of Getinge AB, its subsidiaries or affiliates in the United States or other countries • Getinge and Atrium are registered with the U.S. Patent and Trademark Office. • Copyright 2022 Atrium Medical Corp. or its affiliates. • All rights not expressly granted are reserved. • Refer to Instructions for Use for current indications, warnings, contraindications, and precautions. • Printed in U.S.A. • 06/21

Getinge • 40 Continental Blvd. • Merrimack, NH 03054 • USA • (603) 880-1433
Getinge • 45 Barbour Pond Drive • Wayne, NJ 07470 • USA • (973) 709-7000

Local Getinge offices in the Benelux:

Getinge Belgium N.V. • Alfons Gossetlaan 17 • 1702 Groot-Bijgaarden • Belgium • +32 (0)2 320 20 89 • info.be@getinge.com
Getinge Netherlands B.V. • Oscar Romerolaan 3 • 1216 TJ Hilversum • The Netherlands • +31 (0)35 30 35 000 • info.nl@getinge.com